

Kitchen Extract Cleaning Report

Site: Date: System: Main Cooking Extract Carried out by: Stuart Mc Bride	WFTTM Levels Key: 50 – 100 : Clean 101 - 175 : Slightly Dirty 176 - 250 : Dirty 251+ : Very Dirty
---	--

N/A (not applicable)	Condition Before Cleaning				Condition After Cleaning		
Locations	WFTTM Before	Very Dirty	Dirty	Slightly Dirty	Clean	Clean	WFTTM After
1.Canopy	500	✓				✓	50
2. Grease Filter Housing	750	✓				✓	50
3. Grease Filters							
4. Ductwork from Canopy							
5. Main Ductwork	750	✓				✓	50
6. Ductwork before Fan							
7. Fan							
8. Discharge Ductwork	500	✓				✓	50
9. Discharge Cap/Hood							
10. Other:							
Total WFTTM	2500	Wet Film Thickness Test Measurement taken in a number of Locations. For mean WFTTM divide the total by the number of location tests.				Total WFTTM 200	
Mean WFTTM	625					Mean WFTTM 50	

PHOTO LOG

Locations – as above.	Before Cleaning	After Cleaning	COMMENTS
1.Canopy	1	2	
2. Grease Filter Housing	3	4	
3. Grease Filters			
4. Ductwork from Canopy			
5. Main Ductwork	5	6	
6. Ductwork before Fan			
7. Fan			
8. Discharge Ductwork	7	8	
9. Discharge Cap/Hood			
10. Other:			

Engineer Notes:

PHOTO LOGS - BEFORE AND AFTER



PHOTO LOGS – BEFORE AND AFTER

